Neuroscience Letters, 228 (1997) 215–218
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abbruzzese, G., Buccolieri, A., Marchese, R., Trompetto, C., Mandich, P., Schieppati, M., Intracortical inhibition and facilitation are abnormal in Huntington's disease: a paired magnetic stimulation study, 87
Abe, K., see Suzuki, H., 151
Adelsberger, H., see Heckmann, M., 167
Agnati, L.F., see Li, X.-M., 171
Akaishi, T., see Suga, S., 13
Anand, P., see Terenghi, G., 33
Arai, R., see Nagatsu, I., 55
Azkue, J.J., Knöpfel, T., Kuhn, R., Mateos, J.M., Grandes, P., Distribution of the metabotropic glutamate receptor subtype mGluR5 in rat midbrain periaqueductal grey and relationship with ascending spinofugal afferents, 1

Backer, M.M., see Schreiber, S., 25
Bamba, H., see Hisa, Y., 135
Barbeito, L., see Peluffo, H., 207
Barth, E., see Zetzsche, C., 155
Bidmon, H.-J., Oermann, E., Schleicher, A., Kato, K., Kinscherf, R., Buchkremer-Ratzmann, I., Witte, O.W., Zilles, K., Copper-zinc superoxide dismutase and isolectin B_4 binding are markers for associative and transhemispheric diaschisis induced by focal ischemia in rat cortex, 163
Bisby, M., see Ramer, M., 9
Buccolieri, A., see Abbruzzese, G., 87
Buch, K., see Hampel, H., 143
Buchkremer-Ratzmann, I., see Bidmon, H.-J., 163

Cartmell, J., Kemp, J.A., Mutel, V., L-AP4 inhibition of depolarization-evoked cGMP formation in rat cerebellum, 191
Chan, C.-L., see Li, P., 63
Chang, C.-L., see Tseng, C.-C., 187
Chase, T.N., see Oh, J.D., 5
Chen, T.-Y., see Tseng, C.-C., 187
Cheng, C., see Zochodne, D.W., 71
Cheng, J.-T., see Tong, Y.-C., 159
Cheng, J.-T., see Tseng, C.-C., 187
Ciriolo, M.R., Marasco, M.R., Iannone, M., Nisticò, G., Rotilio, G., Decrease of immunoreactive catalase protein in specific areas of ageing rat brain, 21
Conley, R.R., see Pandey, G.N., 111
Cumming, A., see Lendon, C.L., 212

Del Dotto, P., see Oh, J.D., 5
Dencoff, J.E., Rosenberg, G.A., Harry, G.J., Trimethyltin induces gelatinase B and urokinase in rat brain, 147
Di Giulio, A.M., see Vergani, L., 41
Doi, A., see Ishii, K., 17
Dudel, J., see Heckmann, M., 167
Dukoff, R., see Hampel, H., 143
Dwivedi, Y., see Pandey, G.N., 111

Eder, C., see Richter, H., 139
Estevez, A., see Peluffo, H., 207

Finco, C., see Vergani, L., 41
Fink, H., see Rex, A., 79
Finnman, U.-B., see Li, X.-M., 171
Freund, T.F., see Hajós, F., 179
Fujimura, M., Tominaga, T., Yoshimoto, T., Nicotinamide inhibits inducible nitric oxide synthase mRNA in primary rat glial cells, 107
Fukuyama, H., Ouchi, Y., Matsuzaki, S., Nagahama, Y., Yamauchi, H., Ogawa, M., Kimura, J., Shibasaki, H., Brain functional activity during gait in normal subjects: a SPECT study, 183
Fuxe, K., see Li, X.-M., 171

Goate, A.M., see Lendon, C.L., 212
Gorio, A., see Vergani, L., 41
Grandes, P., see Azkue, J.J., 1
Grönroos, M., Reunala, T., Kartamaa, M., Pertovaara, A., Altered skin sensitivity in chronic itch: role of peripheral and central mechanisms, 199

Hajós, F., Staiger, J.F., Halasy, K., Freund, T.F., Zilles, K., Geniculo-cortical afferents form synaptic contacts with vasoactive intestinal polypeptide (VIP) immunoreactive neurons of the rat visual cortex, 179
Halasy, K., see Hajós, F., 179
Hall, E.D., see Sethy, V.H., 45
Hampel, H., Schoen, D., Schwarz, M.J., Kötter, H.U., Schneider, C., Sunderland, T., Dukoff, R., Levy, J., Padberg, F., Stübner, S., Buch, K., Müller, N., Möller, H.-J., Interleukin-6 is not altered in cerebrospinal fluid of first-degree relatives and patients with Alzheimer's disease, 143
Hanada, K., see Ochi, K., 195
Harry, G.J., see Dencoff, J.E., 147
Harvey, A.R., Kendall, C.L., Syková, E., The status and organization of astrocytes, oligodendroglia and microglia in grafts of fetal rat cerebral cortex, 58
Hasegawa, T., see Ishii, K., 17
Hasham, M.I., Pelech, S.L., Krieger, C., Glutamate-mediated activation of protein kinase C in hippocampal neurons, 115
Heath, D.L., Vink, R., Magnesium sulphate improves neurologic outcome following severe closed head injury in rats, 175
Heckmann, M., Adelsberger, H., Dudel, J., Evoked transmitter release at neuromuscular junctions in wild type and cysteine string protein null mutant larvae of *Drosophila*, 167
Heinemann, U., see Richter, H., 139
Hershkowitz, N., see Katchman, A.N., 50
Hisa, Y., Koike, S., Uno, T., Tadaki, N., Bamba, H., Okamura, H., Tanaka, M., Ibata, Y., Coexistence of calcitonin gene-related peptide and NADPH-diaphorase in the canine superior cervical ganglion, 135

Iannone, M., see Ciriolo, M.R., 21
Ibata, Y., see Hisa, Y., 135
Ichino, N., see Ishiguro, H., 37
Ii, K., see Ishii, K., 17
Ikeda, M., Inoué, S., Circadian rhythms in vitamin B_{12} content of the rat brain, 131

Inoué, S., see Ikeda, M., 131
Ishiguro, H., Ichino, N., Yamada, K., Nagatsu, T., Nicotine regulates mRNA level of tyrosine hydroxylase gene but not that of nicotinic acetylcholine receptor genes in PC12 cells, 37
Ishii, K., Ii, K., Hasegawa, T., Shoji, S., Doi, A., Mori, H., Increased Aβ 42(43)-plaque deposition in early-onset familial Alzheimer's disease brains with the deletion of exon 9 and the missense point mutation (H163R) in the PS-1 gene, 17
Ishii, N., see Toda, K., 95
Itoyama, Y., see Suzuki, H., 151

Janáky, R., see Jenei, Zs., 127
Jansson, A., see Li, X.-M., 171
Jenei, Zs., Varga, V., Janáky, R., Saransaari, P., Oja, S.S., Role of histidyl residues in the binding of ligands to the porcine *N*-methyl-D-aspartate receptor, 127

Kagitani, F., see Uchida, S., 203
Karasawa, N., see Nagatsu, I., 55
Kartamaa, M., see Grönroos, M., 199
Katchman, A.N., Hershkowitz, N., Nitric oxide modulates synaptic glutamate release during anoxia, 50
Kato, K., see Bidmon, H.-J., 163
Kawashima, S., see Ono, T., 123
Kemp, J.A., see Cartmell, J., 191
Kendall, C.L., see Harvey, A.R., 58
Kettenmann, H., see Weydt, P., 91
Kimura, J., see Fukuyama, H., 183
Kimura, K., see Suzuki, H., 151
Kinscherf, R., see Bidmon, H.-J., 163
Klee, R., see Richter, H., 139
Knöpfel, T., see Azkue, J.J., 1
Kohara, K., see Ono, T., 123
Koike, S., see Hisa, Y., 135
Kopelman, P.G., see Terenghi, G., 33
Kötter, H.U., see Hampel, H., 143
Krieger, C., see Hasham, M.I., 115
Krieger, G., see Zetzsche, C., 155
Kudo, Y., see Ono, T., 123
Kuhn, R., see Azkue, J.J., 1

Labrakakis, C., see Weydt, P., 91
Lee, J.-C., see Tseng, C.-C., 187
Lendon, C.L., Myers, A., Cumming, A., Goate, A.M., St. Clair, D., A polymorphism in the presenilin 1 gene does not modify risk for Alzheimer's disease in a cohort with sporadic early onset, 212
Levy, J., see Hampel, H., 143
Li, P., Pang, S.-F., Chan, C.-L., Tsang, C.-W., Identification and diurnal studies of pineal and serum 5-methoxytryptamine in the rat and quail, 63
Li, X.-M., Jansson, A., Finnman, U.-B., Agnati, L.F., Fuxe, K., Possible involvement of G-proteins in the regulation of striatal dopamine D_2 receptor affinity by cholecystokinin octapeptide, 171
Liu, L., Simon, S.A., Capsazepine, a vanilloid receptor antagonist, inhibits nicotinic acetylcholine receptors in rat trigeminal ganglia, 29

Maeda, T., see Ochi, K., 195
Mandich, P., see Abbruzzese, G., 87
Mann, D., see Terenghi, G., 33
Marasco, M.R., see Ciriolo, M.R., 21
Marchese, R., see Abbruzzese, G., 87
Marsden, C.A., see Rex, A., 79
Mateos, J.M., see Azkue, J.J., 1
Matsuzaki, S., see Fukuyama, H., 183
Misra, M., see Zochodne, D.W., 71
Mizugaki, M., see Suzuki, H., 151
Möller, H.-J., see Hampel, H., 143
Möller, T., see Weydt, P., 91
Mori, H., see Ishii, K., 17
Moriyama, Y., see Yamada, H., 103
Morooka, S., see Suzuki, H., 151
Muller, E.E., see Vergani, L., 41
Müller, N., see Hampel, H., 143
Mutel, V., see Cartmell, J., 191
Myers, A., see Lendon, C.L., 212

Nagahama, Y., see Fukuyama, H., 183
Nagatsu, I., Sakai, M., Takeuchi, T., Arai, R., Karasawa, N., Yamada, K., Nagatsu, T., Tyrosine hydroxylase (TH)-only-immunoreactive non-catecholaminergic neurons in the brain of wild mice or the human TH transgenic mice do not contain GTP cyclohydrolase I, 55
Nagatsu, T., see Ishiguro, H., 37
Nagatsu, T., see Nagatsu, I., 55
Nakamura, Y., see Toda, K., 95
Nakayama, H., see Uchida, S., 203
Nardone, A., see Tarantola, J., 75
Nishiyama, Y., see Ozaki, N., 99
Nisticò, G., see Ciriolo, M.R., 21

Ochi, K., Wakisaka, S., Youn, S.H., Hanada, K., Maeda, T., Immunohistochemical localization of calbindin D28k in the periodontal Ruffini endings of rat incisors, 195
Oermann, E., see Bidmon, H.-J., 163
Ogawa, M., see Fukuyama, H., 183
Ogura, A., see Ono, T., 123
Oh, J.D., Del Dotto, P., Chase, T.N., Protein kinase A inhibitor attenuates levodopa-induced motor response alterations in the hemi-parkinsonian rat, 5
Oja, S.S., see Jenei, Zs., 127
Okamura, H., see Hisa, Y., 135
Ono, T., Kudo, Y., Kohara, K., Kawashima, S., Ogura, A., Activity-dependent survival of rat cerebellar granule neurons is not associated with sustained elevation of intracellular Ca^{2+}, 123
Oostveen, J.A., see Sethy, V.H., 45
Ouchi, Y., see Fukuyama, H., 183
Ozaki, N., Sugiura, Y., Yamamoto, M., Yokoya, S., Wanaka, A., Nishiyama, Y., Apoptosis induced in the spinal cord and dorsal root ganglion by infection of herpes simplex virus type 2 in the mouse, 99

Padberg, F., see Hampel, H., 143
Pandey, G.N., Dwivedi, Y., Pandey, S.C., Conley, R.R., Roberts, R.C., Tamminga, C.A., Protein kinase C in the postmortem brain of teenage suicide victims, 111
Pandey, S.C., see Pandey, G.N., 111

Pang, S.-F., see Li, P., 63
Patt, S., see Weydt, P., 91
Pelech, S.L., see Hasham, M.I., 115
Peluffo, H., Estevez, A., Barbeito, L., Stutzmann, J.M., Riluzole promotes survival of rat motoneurons in vitro by stimulating trophic activity produced by spinal astrocyte monolayers, 207
Pertovaara, A., see Grönroos, M., 199
Pick, C.G., see Schreiber, S., 25

Ramer, M., Bisby, M., Reduced sympathetic sprouting occurs in dorsal root ganglia after axotomy in mice lacking low-affinity neurotrophin receptor, 9
Reunala, T., see Grönroos, M., 199
Rex, A., Marsden, C.A., Fink, H., Cortical 5-HT-CCK interactions and anxiety-related behaviour of guinea-pigs: a microdialysis study, 79
Richter, H., Klee, R., Heinemann, U., Eder, C., Developmental changes of inward rectifier currents in neurons of the rat entorhinal cortex, 139
Roberts, R.C., see Pandey, G.N., 111
Rosenberg, G.A., see Dencoff, J.E., 147
Rothblat, D.S., Schneider, J.S., Regionally specific effects of haloperidol and clozapine on dopamine reuptake in the striatum, 119
Rotilio, G., see Ciriolo, M.R., 21

Sakai, M., see Nagatsu, I., 55
Sakuma, Y., see Suga, S., 13
Saransaari, P., see Jenei, Zs., 127
Sasaki, S., Axonal branching and termination of cervical reticulospinal neurons in the cat brachial segments, 83
Sato, A., see Uchida, S., 203
Schieppati, M., see Abbruzzese, G., 87
Schieppati, M., see Tarantola, J., 75
Schleicher, A., see Bidmon, H.-J., 163
Schneider, C., see Hampel, H., 143
Schneider, J.S., see Rothblat, D.S., 119
Schoen, D., see Hampel, H., 143
Schreiber, S., Backer, M.M., Weizman, R., Pick, C.G., Augmentation of opioid induced antinociception by the atypical antipsychotic drug risperidone in mice, 25
Schwarz, M.J., see Hampel, H., 143
Sethy, V.H., Wu, H., Oostveen, J.A., Hall, E.D., Neuroprotective effects of the $GABA_A$ receptor partial agonist U-101017 in 3-acetylpyridine-treated rats, 45
Shibasaki, H., see Fukuyama, H., 183
Shoji, S., see Ishii, K., 17
Simon, S.A., see Liu, L., 29
St. Clair, D., see Lendon, C.L., 212
Staiger, J.F., see Hajós, F., 179
Stübner, S., see Hampel, H., 143
Stutzmann, J.M., see Peluffo, H., 207
Suga, S., Akaishi, T., Sakuma, Y., GnRH inhibits neuronal activity in the ventral tegmental area of the estrogen-primed ovariectomized rat, 13
Sugiura, Y., see Ozaki, N., 99
Sun, H., see Zochodne, D.W., 71
Sunderland, T., see Hampel, H., 143
Suzuki, H., Abe, K., Tojo, S., Morooka, S., Kimura, K., Mizugaki, M., Itoyama, Y., Postischemic expression of P-selectin immunoreactivity in rat brain, 151
Syková, E., see Harvey, A.R., 58

Tacchini, E., see Tarantola, J., 75
Tadaki, N., see Hisa, Y., 135
Takeuchi, T., see Nagatsu, I., 55
Tamminga, C.A., see Pandey, G.N., 111
Tanaka, M., see Hisa, Y., 135
Tarantola, J., Nardone, A., Tacchini, E., Schieppati, M., Human stance stability improves with the repetition of the task: effect of foot position and visual condition, 75
Terenghi, G., Mann, D., Kopelman, P.G., Anand, P., trkA and trkC expression is increased in human diabetic skin, 33
Toda, K., Ishii, N., Nakamura, Y., Characteristics of mucosal nociceptors in the rat oral cavity: an in vitro study, 95
Tojo, S., see Suzuki, H., 151
Tominaga, T., see Fujimura, M., 107
Tong, Y.-C., Cheng, J.-T., Subtyping of α_1-adrenoceptors responsible for the contractile response in the rat corpus cavernosum, 159
Trompetto, C., see Abbruzzese, G., 87
Tsang, C.-W., see Li, P., 63
Tseng, C.-C., Chang, C.-L., Lee, J.-C., Chen, T.-Y., Cheng, J.-T., Attenuation of the catecholamine responses by electroacupuncture on Jen–Chung point during postoperative recovery period in humans, 187

Uchida, S., Kagitani, F., Nakayama, H., Sato, A., Effect of stimulation of nicotinic cholinergic receptors on cortical cerebral blood flow and changes in the effect during aging in anesthetized rats, 203
Uno, T., see Hisa, Y., 135

Varga, V., see Jenei, Zs., 127
Vergani, L., Finco, C., Di Giulio, A.M., Muller, E.E., Gorio, A., Effects of low doses of glycosaminoglycans and insulin-like growth factor-I on motor neuron disease in wobbler mouse, 41
Vink, R., see Heath, D.L., 175

Wakisaka, S., see Ochi, K., 195
Wanaka, A., see Ozaki, N., 99
Wegmann, B., see Zetzsche, C., 155
Weizman, R., see Schreiber, S., 25
Weydt, P., Möller, T., Labrakakis, C., Patt, S., Kettenmann, H., Neuroligand-triggered calcium signalling in cultured human glioma cells, 91
Witte, O.W., see Bidmon, H.-J., 163
Wu, H., see Sethy, V.H., 45

Yamada, H., Yamaguchi, A., Moriyama, Y., L-Aspartate-evoked inhibition of melatonin production in rat pineal glands, 103
Yamada, K., see Ishiguro, H., 37
Yamada, K., see Nagatsu, I., 55
Yamaguchi, A., see Yamada, H., 103
Yamamoto, M., see Ozaki, N., 99
Yamauchi, H., see Fukuyama, H., 183
Yokoya, S., see Ozaki, N., 99
Yoshimoto, T., see Fujimura, M., 107
Youn, S.H., see Ochi, K., 195

Zetzsche, C., Barth, E., Krieger, G., Wegmann, B., Neural network models and the visual cortex: the missing link between orientation selectivity and the natural environment, 155
Zilles, K., see Bidmon, H.-J., 163
Zilles, K., see Hajós, F., 179
Zochodne, D.W., Misra, M., Cheng, C., Sun, H., Inhibition of nitric oxide synthase enhances peripheral nerve regeneration in mice, 71